

BOC[®]
BOHRCRAFT

DEALS
2 0 2 5

NOW AVAILABLE

HARDOX

**COUNTER-
SINKS**



All prices exclude VAT · Subject to model and price changes, as well as availability. · Validity: 01.03.2025 - 30.09.2025

#TOOLSFORPROFESSIONALS

HARDOX Countersinks M42 HSS-E (Co8) with 5 cutting edges*

Our specialist for countersinking in difficult-to-machine materials such as XAR, Hardox 500 and HiTuf up to 67 HRC.



- Very sturdy design, multi-edge cutting tool, special geometry for the highest loads.
- The even distribution of cutting forces across 5 cutting edges* ensures smooth running and significantly reduced axial and radial forces.
- The triangle-shank* prevents slipping in the drill chuck and guarantees optimum power transmission.
- High-quality ZRN+ coating for low friction values and even longer tool life.



Ø d2 mm	Ø d1 mm	Ø d3 mm	L 1 mm	Z	Part-No.	DKK
10,4*	2,5	6	50	4	1735 03 10490	337,00
12,4	2,8	8	56	5	1735 03 12490	392,00
16,5	3,2	10	60	5	1735 03 16590	507,00
20,5	3,5	10	63	5	1735 03 20590	664,00
25,0	3,8	10	67	5	1735 03 25090	899,00
31,0	4,2	10	71	5	1735 03 31090	1.182,00

*diameter 10.4 mm with 4 cutting edges and cylindrical shank

HSS-E Co8




3-pcs. in plastic box
12,4 / 16,5 / 20,5 mm
KS 3 HDX
(PN 1735 13 30003)

1.462,00

HARDOX

Twist drills M42 HSS-E (Co8)

Stable special drill with extremely high heat resistance.
For wear-resistant sheet metal, HARDOX 400 / 450 / 500 / HiTuf.
Ideal for the machining of excavator buckets, wheel loader shovels,
dumpers, vibrating chutes etc.



Ø d mm	L 1 mm	L 2 mm		Part-No.	DKK
1,0	34	6	1	1508 03 00100	34,00
1,5	40	9	1	1508 03 00150	34,00
2,0	49	12	1	1508 03 00200	35,00
2,5	57	14	1	1508 03 00250	35,00
3,0	61	16	1	1508 03 00300	36,00
3,2	65	18	1	1508 03 00320	39,00
3,3	65	18	1	1508 03 00330	39,00
3,5	70	20	1	1508 03 00350	40,00
4,0	75	22	1	1508 03 00400	42,00
4,2	75	22	1	1508 03 00420	48,00
4,5	80	24	1	1508 03 00450	51,00
5,0	86	26	1	1508 03 00500	53,00
5,5	93	28	1	1508 03 00550	62,00
6,0	93	28	1	1508 03 00600	65,00
6,5	101	31	1	1508 03 00650	74,00

Ø d mm	L 1 mm	L 2 mm		Part-No.	DKK
6,8	109	34	1	1508 03 00680	77,00
7,0	109	34	1	1508 03 00700	79,00
7,5	109	34	1	1508 03 00750	86,00
8,0	117	37	1	1508 03 00800	99,00
8,5	117	37	1	1508 03 00850	103,00
9,0	125	40	1	1508 03 00900	119,00
9,5	125	40	1	1508 03 00950	127,00
10,0	133	43	1	1508 03 01000	133,00
10,2	133	43	1	1508 03 01020	138,00
10,5	133	43	1	1508 03 01050	139,00
11,0	142	47	1	1508 03 01100	168,00
11,5	142	47	1	1508 03 01150	208,00
12,0	151	51	1	1508 03 01200	220,00
12,5	151	51	1	1508 03 01250	263,00
13,0	151	51	1	1508 03 01300	272,00

HSS-E Co8

5-pcs. in Multi-Pack
4 / 5 / 6 / 8 / 10 mm
ME 5 HDX (PN 1508 13 30005)

416,-



19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm
KE 10 HDX (PN 1508 13 30019)

1.114,-

HSS-E Co8



25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm
KE 13 HDX (PN 1508 13 30025)

1.998,-

HSS-E Co8



TURBO STEP



- Perfect for use with cordless / corded machines
- Simplified drilling of existing boreholes

- Significantly faster than normal twist drills
- Ideal for drilling out bolts or rivets

Especially suitable for steel < 1.000 N/mm² (T-STEP INOX < 1.200 N/mm²), cast materials, aluminium, plastics (e.g. acrylic glass), hard- and softwood.

TURBO STEP



TURBO STEP INOX



Ø d mm		Part-No. HSS-G	DKK		Part-No. HSS-G	DKK		Part-No. HSS-E	DKK		Part-No. HSS-E	DKK
1,0	10	1202 03 00100	90,00	1	1202 07 00100	11,00	10	1203 03 00100	189,00	1	1203 07 00100	21,00
1,5	10	1202 03 00150	96,00	1	1202 07 00150	12,00	10	1203 03 00150	201,00	1	1203 07 00150	22,00
2,0	10	1202 03 00200	106,00	1	1202 07 00200	13,00	10	1203 03 00200	216,00	1	1203 07 00200	24,00
2,5	10	1202 03 00250	164,00	1	1202 07 00250	18,00	10	1203 03 00250	227,00	1	1203 07 00250	25,00
3,0	10	1202 03 00300	180,00	1	1202 07 00300	20,00	10	1203 03 00300	241,00	1	1203 07 00300	27,00
3,2	10	1202 03 00320	183,00	1	1202 07 00320	20,00	10	1203 03 00320	272,00	1	1203 07 00320	29,00
3,3	10	1202 03 00330	185,00	1	1202 07 00330	21,00	10	1203 03 00330	273,00	1	1203 07 00330	30,00
3,5	10	1202 03 00350	187,00	1	1202 07 00350	21,00	10	1203 03 00350	279,00	1	1203 07 00350	30,00
4,0	10	1202 03 00400	215,00	1	1202 07 00400	24,00	10	1203 03 00400	304,00	1	1203 07 00400	33,00
4,2	10	1202 03 00420	225,00	1	1202 07 00420	25,00	10	1203 03 00420	358,00	1	1203 07 00420	38,00
4,5	10	1202 03 00450	231,00	1	1202 07 00450	25,00	10	1203 03 00450	369,00	1	1203 07 00450	39,00
4,9	10	1202 03 00490	248,00	1	1202 07 00490	27,00	10	1203 03 00490	381,00	1	1203 07 00490	40,00
5,0	10	1202 03 00500	276,00	1	1202 07 00500	30,00	10	1203 03 00500	396,00	1	1203 07 00500	42,00
5,2	10	1202 03 00520	284,00	1	1202 07 00520	30,00	10	1203 03 00520	450,00	1	1203 07 00520	47,00
5,5	10	1202 03 00550	302,00	1	1202 07 00550	33,00	10	1203 03 00550	450,00	1	1203 07 00550	48,00
6,0	10	1202 03 00600	343,00	1	1202 07 00600	37,00	10	1203 03 00600	482,00	1	1203 07 00600	51,00
6,5	10	1202 03 00650	373,00	1	1202 07 00650	40,00	10	1203 03 00650	522,00	1	1203 07 00650	55,00
6,8	10	1202 03 00680	384,00	1	1202 07 00680	41,00	10	1203 03 00680	563,00	1	1203 07 00680	59,00
7,0	10	1202 03 00700	395,00	1	1202 07 00700	42,00	10	1203 03 00700	573,00	1	1203 07 00700	60,00
7,5	10	1202 03 00750	441,00	1	1202 07 00750	47,00	10	1203 03 00750	610,00	1	1203 07 00750	63,00
8,0	10	1202 03 00800	475,00	1	1202 07 00800	50,00	10	1203 03 00800	747,00	1	1203 07 00800	77,00
8,5	10	1202 03 00850	554,00	1	1202 07 00850	58,00	10	1203 03 00850	802,00	1	1203 07 00850	83,00
9,0	10	1202 03 00900	581,00	1	1202 07 00900	60,00	10	1203 03 00900	924,00	1	1203 07 00900	95,00
9,5	10	1202 03 00950	607,00	1	1202 07 00950	63,00	10	1203 03 00950	1.029,00	1	1203 07 00950	105,00
10,0	10	1202 03 01000	696,00	1	1202 07 01000	72,00	10	1203 03 01000	1.089,00	1	1203 07 01000	111,00
10,2	5	1202 03 01020	360,00	1	1202 07 01020	74,00	5	1203 03 01020	641,00	1	1203 07 01020	131,00
10,5	5	1202 03 01050	363,00	1	1202 07 01050	75,00	5	1203 03 01050	652,00	1	1203 07 01050	133,00
11,0	5	1202 03 01100	401,00	1	1202 07 01100	83,00	5	1203 03 01100	682,00	1	1203 07 01100	139,00
11,5	5	1202 03 01150	414,00	1	1202 07 01150	86,00	5	1203 03 01150	711,00	1	1203 07 01150	145,00
12,0	5	1202 03 01200	465,00	1	1202 07 01200	96,00	5	1203 03 01200	741,00	1	1203 07 01200	150,00
12,5	5	1202 03 01250	489,00	1	1202 07 01250	101,00	5	1203 03 01250	772,00	1	1203 07 01250	157,00
13,0	5	1202 03 01300	540,00	1	1202 07 01300	111,00	5	1203 03 01300	809,00	1	1203 07 01300	164,00

TURBO STEP ...with reduced shank



Ø d1 mm	L 1 mm	L 2 mm	Ø d2 mm	L 3 mm		Part-No.	DKK
13,5	107	61	12,7	29	1	1204 03 01350	170,00
14,0	107	61	12,7	29	1	1204 03 01400	179,00
14,5	111	65	12,7	29	1	1204 03 01450	187,00
15,0	111	65	12,7	29	1	1204 03 01500	197,00
15,5	115	69	12,7	29	1	1204 03 01550	203,00
16,0	115	69	12,7	29	1	1204 03 01600	210,00

TURBO STEP

HSS-G

5-pcs. in Multi-Pack
4 / 5 / 6 / 8 / 10 mm

MG 5 TURBO STEP
(PN 1202 13 30005)

208,00

HSS-G

19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm

KG 10 TURBO STEP
(PN 1202 13 30019)

652,00

HSS-G

25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm

KG 13 TURBO STEP
(PN 1202 13 30025)

1.152,00

TURBO STEP INOX

HSS-E Co5

5-pcs. in Multi-Pack
4 / 5 / 6 / 8 / 10 mm

ME 5 T-STEP INOX
(PN 1203 13 30005)

327,00

HSS-E Co5

19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm

KE 10 T-STEP INOX
(PN 1203 13 30019)

992,00

HSS-E Co5

25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm

KE 13 T-STEP INOX
(PN 1203 13 30025)

1.903,00

Twist Drills DIN 338 HSS Roll Forged

HSS-R

19-pcs. in metal-box
1 - 10 mm x 0,5 mm
M 10 (PN 1100 13 10019)

77,00

25-pcs. in metal-box
1 - 13 mm x 0,5 mm
M 13 (PN 1100 13 10025)

147,00



Twist Drills DIN 338 HSS-G Fully Ground, Split Point

HSS-G

19-pcs. in metal-box
1 - 10 mm x 0,5 mm
MG 10 (PN 1120 13 10019)

109,00

25-pcs. in metal-box
1 - 13 mm x 0,5 mm
MG 13 (PN 1120 13 10025)

219,00



Twist Drills DIN 338 HSS-G Fully Ground, Split Point

HSS-G

81-pcs. in metal-box
2 - 10 mm x 0,1 mm
MG 210 (PN 1120 14 20081)

675,00



Twist Drills DIN 338 HSS-G Fully Ground, Split Point

HSS-G

170-pcs. in metal-box
1 - 10 mm x 0,5 mm
MG 170 (PN 1120 14 10170)

762,00



Twist Drills DIN 338 HSS-E (Co5) Cobalt Alloyed, Split Point

HSS-E Co5

19-pcs. in metal-box
1 - 10 mm x 0,5 mm
ME 10 (PN 1140 13 10019)

207,00

25-pcs. in metal-box
1 - 13 mm x 0,5 mm
ME 13 (PN 1140 13 10025)

438,00



Twist Drills DIN 338 HSS-E (Co5) Cobalt Alloyed, Split Point

HSS-E Co5

70-pcs. in metal-box
· 1,0 - 5,0 x 0,5 mm = 5 pcs.
· 5,5 - 7,5 x 0,5 mm = 3 pcs.
· 8,0 - 10,0 x 0,5 mm = 2 pcs.
ME 70 (PN 1140 14 10070)

692,00



Twist Drills DIN 338 HSS Roll Forged

HSS-R

19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm
KR 10 (PN 1100 13 30019)

95,00



25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm
KR 13 (PN 1100 13 30025)

171,00

Twist Drills DIN 338 HSS-G Fully Ground, Split Point

HSS-G

19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm
KG 10 (PN 1120 13 30019)

180,00



25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm
KG 13 (PN 1120 13 30025)

236,00

Twist Drills DIN 338 HSS-TiN Titanium Coated, Split Point

HSS-TiN

19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm
KT 10 (PN 1130 13 30019)

154,00



25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm
KT 13 (PN 1130 13 30025)

274,00

Twist Drills DIN 338 HSS-E (Co5) Cobalt Alloyed, Split Point

HSS-E Co5

19-pcs. in ABS-Box
1 - 10 mm x 0,5 mm
KE 10 (PN 1140 13 30019)

227,00



25-pcs. in ABS-Box
1 - 13 mm x 0,5 mm
KE 13 (PN 1140 13 30025)

450,00

Taper Shank Drills HSS DIN 345

HSS

10-pcs. in metal-box
14 / 15 / 16 / 17 / 18 /
19 / 20 / 21 / 22 / 23 mm
MK10-1 (PN 1450 14 10001)

675,00

10-pcs. in metal-box
14 / 16 / 18 / 20 / 22 /
24 / 25 / 26 / 28 / 30 mm
MK10-2 (PN 1450 14 10002)

945,00



with taper shank



Precision-countersinks HSS · HSS-E

UNEQUAL PITCH



- The unequal pitch guarantees smooth running and chatterfree work.
- Optimized flutes ensure ideal chip and heat removal.
- Reduction in feed force.
- Perfect power transmission due to the triangle shank.
- AlCro coating for smoother surfaces and longer tool life.



Ø d2 mm	Ø d1 mm	Ø d3 mm	L 1 mm	DIN 74 BF	Al-Cro	DKK
					Part-No.	
6,3	1,5	5	45	M 3	1731 03 06390	95,00
8,3	2,0	6	50	M 4	1731 03 08390	106,00
10,4	2,5	6	50	M 5	1731 03 10490	109,00
12,4	2,8	8	56	M 6	1731 03 12490	131,00
16,5	3,2	10	60	M 8	1731 03 16590	154,00
20,5	3,5	10	63	M 10	1731 03 20590	189,00
25,0	3,8	10	67	M 12	1731 03 25090	227,00
31,0	4,2	12	71	M 16	1731 03 31090	283,00
40,0	4,2	13	80	-	1731 03 40090	416,00



3-pcs. in plastic box
12,4 / 16,5 / 20,5 mm

KS 3 Al-Cro
(PN 1731 13 30003)

Al-Cro coating

506,-

HSS-G

5-pcs. in plastic box
6,3 / 10,4 / 16,5 /
20,5 / 25,0 mm

KS 5 Al-Cro
(PN 1731 13 32005)

Al-Cro coating

812,-



6-pcs. in ABS-Box
6,3 / 8,3 / 10,4 / 12,4 /
16,5 / 20,5 mm

KS 6-K Al-Cro
(PN 1731 13 30006)

Al-Cro coating

790,-

Al-Cro

HSS-G



Countersinks DIN 335 C 90°

HSS

5-pcs. in ABS-Box
6,3 / 10,4 / 16,5 /
20,5 / 25,0 mm

KS 5-K (PN 1700 13 30005)

403,-



HSS-E Co5

KS 5-K Co (PN 1710 13 30005)

for INOX

508,-

5
pcs.

Countersinks DIN 335 C 90°

HSS

6-pcs. in ABS-Box
6,3 / 8,3 / 10,4 / 12,4 /
16,5 / 20,5 mm

KS 6-K (PN 1700 13 30006)

266,-



HSS-E Co5

KS 6-K Co (PN 1710 13 30006)

for INOX

381,-

Countersink-Bits 90° HSS 1/4" hex-shank with handle and bitholder



8-pcs. in ABS-Box
6,3 / 8,3 / 10,4 / 12,4 / 16,5 / 20,5 mm

KS 6-K (PN 1705 13 30006)

393,-



Sheet Metal Drills HSS-G

3-pcs. in ABS-Box
· Size 1 / 3 - 14 mm
· Size 2 / 6 - 20 mm
· Size 3 / 16 - 30,5 mm

B 3-K (PN 1740 13 30003)

409,-



Step Drills HSS-G

3-pcs. in metal-box
· Size 1 / 4 - 12 mm (1 mm)
· Size 2A / 4 - 20 mm (2 mm)
· Size 3A / 4 - 30 mm (2 mm)

STB 3 HSS (PN 1760 14 10003)

416,-



Step Drills HSS-G

3-pcs. in ABS-Box
· Size 1 / 4 - 12 mm (1 mm)
· Size 2A / 4 - 20 mm (2 mm)
· Size 3A / 4 - 30 mm (2 mm)

STB 3-K (PN 1760 13 30003)

433,-



Deburrers

Especially designed for repairing damaged screws, bolts, threaded rods etc.

- For use with cordless and corded machines
- Easy handling
- Fast and safe working
- Covered cutting edges
- Safe chip removal

Application:



HSS

3 - 19 mm

Blister

- Drive 1/4" E 6,3
- max. 400 rpm

EGR HSS (PN 1648 16 00001)

194,-

EGR HM+ Version:

- Longer lifetime when working on standard steels
- Especially suitable for stainless and hardened steel



HM / TCT

3 - 19 mm

Blister

- Drive 1/4" E 6,3
- max. 400 rpm

EGR HM+ (PN 1648 16 00002)

266,-



HM / TCT

13 - 35 mm

Single Packaging

- Drive SW 9
- max. 150 rpm

EGR 35 HM+ (PN 1648 16 00003)

472,-



HM / TCT

34 - 54 mm


Single Packaging

- Drive SW 9
- max. 150 rpm

EGR 54 HM+ (PN 1648 16 00004)

842,-

Video:



IMPORTANT: Please work with low rotation-speed!



Diamond-Tile Drills for dry cutting

Ideal for: Stoneware, Porcelain, Marble, Granite, Ceramic and Terracotta.



With M14 thread for angle grinders,
up to Ø 15,0 mm filled with cooling-wax

6,0 mm x M14
PN 2702 03 00600



96,0

8,0 mm x M14
PN 2702 03 00800



106,0

10,0 mm x M14
PN 2702 03 01000



123,0

12,0 mm x M14
PN 2702 03 01200



130,0

Ø mm	Part-No.	€ pc.
14,0	2702 03 01400	135,00
15,0	2702 03 01500	135,00
20,0	2702 03 02000	144,00
25,0	2702 03 02500	169,00
30,0	2702 03 03000	184,00
35,0	2702 03 03500	194,00
40,0	2702 03 04000	229,00

Ø mm	Part-No.	€ pc.
43,0	2702 03 04300	242,00
45,0	2702 03 04500	254,00
50,0	2702 03 05000	273,00
55,0	2702 03 05500	279,00
57,0	2702 03 05700	288,00
60,0	2702 03 06000	288,00
68,0	2702 03 06800	323,00

Hexagon adaptor SW 8,5 mm
for M14 diamond tile drills



1 piece in QuadroPack
AD-M14 (PN 2702 03 00001)

52,0



4-pcs. in plastic box
· 2x 6,0 mm
· 1x 8,0 / 10,0 mm
DB 4 (PN 2702 14 30004)

423,0



7-pcs. in BC Box
· 2x 6,0 / 8,0 mm
· 1x 10,0 / 12,0 / 14,0 mm
DB 7 (PN 2702 13 30007)

770,0



4-pcs. in BC Box
1x 35,0 / 40,0 / 50,0 / 68,0 mm
DB 4-2 (PN 2702 13 30004)

885,0

Bi-Metal Hole Saws with 8% Cobalt Vario Tothing

8-pcs. in plastic case
· 22 / 29 / 35 / 44 / 51 / 68 mm
· AS 11 (14 - 30 mm hex. shank)
· AS 33 (32 - 210 mm hex. shank)
LS 6-E (PN 1901 14 30006)

360,0



14-pcs. in plastic case
· 19 / 22 / 25 / 29 / 32 / 35 /
44 / 51 / 57 / 64 / 68 / 76 mm
· AS 11 (14 - 30 mm hex. shank)
· AS 33 (32 - 210 mm hex. shank)
RLS 14-E (PN 1901 13 30014)

696,0



- Aggressive cut
- Superb wear resistant
- Long lifetime

Combined hammer drill bits + chisels sets

Hammer drill bits QX-4 with solid carbide head



8-pcs. in QuadroPack

- 6 / 8 / 10 / 12 x 160 mm
- 8 / 10 x 210 mm
- Point chisel 250 mm
- Flat chisel 20 x 250 mm

HB 8 QX-4 (PN 2612 03 00008)

377,00

Hammer drill bits X-TREME with PGM certification-mark



8-pcs. in QuadroPack

- 6 / 8 / 10 / 12 x 160 mm
- 8 / 10 x 210 mm
- Point chisel 250 mm
- Flat chisel 20 x 250 mm

HB 8-XT (PN 2610 03 00008)

255,00

Floor scraper chisels

For scraping floor coverings like linoleum, vinyl tiles and adhesive.



SDS-plus shank

- Length 250 mm
- Width 100 mm

SP-plus (PN 2650 05 10025)

600,00



SDS-max shank

- Length 600 mm
- Width 125 mm

SP-max (PN 2660 05 12560)

1.102,00



Replacement scraper (without shank) SDS-plus
ES-PLUS (PN 2650 15 00001)

169,00

Replacement scraper (without shank) SDS-max
ES-max (PN 2660 15 00001)

220,00

Chisel-Sets



3-pcs. in Quadro-Pack
SDS-plus

Point / Flat / Spade
250 mm Length

M3-plus
(PN 2650 03 00003)

102,00



3-pcs. in Quadro-Pack
SDS-max

Point / Flat / Spade
400 mm Length

M3-max
(PN 2660 03 00003)

169,00



Glass / Ceramic drill bits T4, with 4 carbide cutting edges

Sufficient cooling with water, tur-pentine or petroleum increases tool life. Also suitable for aerated concrete, plasterboard, etc.



4-pcs. in Multi-Pack
5 / 6 / 8 / 10 mm
GM-T4 (PN 2710 13 30004)

184,-

Granite drill TCT DIN 8039 / ISO 5468

Granite drill bit with diamond-ground carbide plate. Suitable for hard natural stone such as granite, marble, slate as well as masonry + aerated concrete.



4-pcs. in Multi-Pack
5 / 6 / 8 / 10 mm
SG 4 (PN 2280 13 30004)

69,-

MULTI-LASER Multi-Purpose / Ceramic drills TCT

Multi-Purpose drill bit for application in nearly any materials e. g. tiles and ceramic (up to Mohs-hardness 8), concrete, wood, steel, plastics and roof tiles. Robust drill bit head with new designed carbide plate and multiple diamond-ground cutting edges.



3-pcs. in Multi-Pack
5 / 6 / 8 mm
UM 3 (PN 2270 13 30003)

88,-



5-pcs. in plastic box
4 / 5 / 6 / 8 / 10 mm
UM 410 (PN 2270 14 30005)

122,-



Hammer drill bits QX-4 with solid carbide head

Especially suitable for drilling in reinforced concrete!



5-pcs. in Multi-Pack
· 5 / 6 x 110 mm
· 6 / 8 / 10 x 160 mm
HB 5 QX-4 (PN 2612 13 30005)

218,-

Hammer drill bits SDS-plus 4-X with 4 carbide cutting edges



5-pcs. in Multi-Pack
· 5 / 6 x 110 mm
· 6 / 8 / 10 x 160 mm
HB 5 4-X (PN 2615 13 30005)

125,-

All prices exclude VAT · Subject to model and price changes, as well as availability. · Validity: 01.03.2025 - 30.09.2025

BOHRCRAFT - TOOLS FOR PROFESSIONALS

TCT Cylinder boring Bits

For precise drilling in hard- and softwood.

HM / TCT



5-pcs. in wooden box
15 / 20 / 25 / 30 / 35 mm
KBH 5 (PN 3261 14 50005)

479,-



Ø mm	Part-No.	€/pc.
15	3261 05 01500	15,75
20	3261 05 02000	16,50
25	3261 05 02500	19,20
30	3261 05 03000	20,25
35	3261 05 03500	23,25

REDUCED PRICE!

Auger bits LEWIS-pattern



8-pcs. in wooden box
235 mm length
6 / 8 / 10 / 12 / 14 / 16 / 18 / 20 mm
SB 235 (PN 3200 14 50623)

254,-



6-pcs. in wooden box
460 mm length
10 / 12 / 14 / 16 / 18 / 20 mm
SB 460 (PN 3200 14 50646)

369,-



6-pcs. in wooden box
320 mm length
10 / 12 / 14 / 16 / 18 / 20 mm
SB 320 (PN 3200 14 50632)

314,-

Wood Drill Bits with shell drill countersinkers

5-pcs. in wooden box
· 3 / 4 / 5 / 6 mm Wood drill bits
countersinkers 12 mm outside-Ø
· hex-key

AHB 5 (PN 3450 14 50005)

112,-



Brad Point Wood Drill Bits HSS-G fully Ground, Industrial-Type



5-pcs. in plastic box
4 / 5 / 6 / 8 / 10 mm
HP 50 (PN 3110 14 30005)

80,-

8-pcs. in plastic box
3 / 4 / 5 / 6 / 7 / 8 / 9 / 10 mm
HP 80 (PN 3110 14 30008)

122,-



Also suitable for hardwood!

1/4" Colour ring bits set with „Quick-Lock“ bitholder

32-pcs. in plastic box

- 1 x PH 1 / 2 x PH 2 / 1 x PH 3
- 1 x PZ 1 / 2 x PZ 2 / 1 x PZ 3
- 1 x Slotted 3,0 / 4,0 / 5,0 / 6,0
- 1 x Hexagon SW 3 / 4 / 5 / 6
- 1 x Tx T10 / T15 / T20 / T25 / T27 / T30 / T40
- 1 x Tx with hole TR10 / TR15 / TR20 / TR25 / TR27 / TR30 / TR40
- Adaptor 1/4"
- Bitholder "Quick-Lock"

PB 32-3 (PN 6900 14 30032)

99,-




1/4" Colour Ring-Bits Set with ratchet

24-pcs. in plastic box

- Ratchet Mini
- 15 Colour Ring-Bits 1/4"
- 6 Sockets SW 6 / 7 / 8 / 10 / 11 / 13 mm
- Adaptor for sockets
- Magnetic bitholder

PB 24 (PN 6900 14 30023)



L-Shaped Drivers PROFI

Easier access to narrow spaces

Für all 1/4" Bits

PRO 90 (PN 6350 16 00001)



351,-

For drills with shank up to 10 mm

PRO 100 (PN 6351 16 00001)



421,-


1/4" Adaptors, for sockets 1/4", 3/8", 1/2"

3-pcs. in BC DIY-Pack

50 mm length

A3 (PN 6400 11 00003)

52,-



Magnetic sockets set

7-pcs. in plastic box

- Drive 1/4"
- SW 7 / SW 8 / SW 10 / SW 12 / SW 13 / SW 3/8" / SW 1/4"

RST 7 (PN 6500 14 30007)

129,-



Screw extractors CV

5-pcs. in plastic box

No. 1 / 2 / 3 / 4 / 5

SE 5 (PN 9700 14 30005)

34,-





Your Distributor:

All prices exclude VAT · Subject to model and price changes, as well as availability. · Validity: 01.03.2025 – 30.09.2025

BOHRCRAFT - TOOLS FOR PROFESSIONALS